



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

*Reports of States and yearly and monthly reports of cities of the United States.*

CALIFORNIA—*Oakland*.—Month of December, 1898. Estimated population, 75,000. Total number of deaths, 86, including diphtheria, 2; scarlet fever, 1; influenza, 1, and 14 from phthisis pulmonalis.

*San Diego*.—Year ended December 31, 1898. Census population, 16,159. Total number of deaths, 182, including enteric fever, 1, and 23 from phthisis pulmonalis.

CONNECTICUT.—Reports to the State board of health for the month of December, 1898, from 167 towns, having an aggregate population of 892,110, show a total of 1,227 deaths, including diphtheria, 35; enteric fever, 22; measles, 1; scarlet fever, 1; whooping cough, 6, and 117 from phthisis pulmonalis.

*Westport*.—Month of December, 1898. Estimated population, 4,000. Total number of deaths, 6, including 1 from phthisis pulmonalis.

ILLINOIS—*Springfield*.—Two weeks ended January 7, 1899. Estimated population, 31,000. Total number of deaths, 35, including grippe, 8, and phthisis pulmonalis, 3.

INDIANA—*Evansville*.—Month of December, 1898. Estimated population, 70,000. Total number of deaths, 81; including diphtheria, 2; enteric fever, 2; scarlet fever, 1, and 8 from phthisis pulmonalis.

IOWA—*Davenport*.—Month of December, 1898. Estimated population, 36,000. Total number of deaths, 55, including diphtheria, 3; grippe, 1, and 3 from phthisis pulmonalis.

*Keokuk*.—Month of December, 1898. Census population, 14,101. Total number of deaths, 11, including influenza, 1, and 4 from phthisis pulmonalis.

MAINE—*Portland*.—Four weeks ended December 24, 1898. Estimated population, 41,500. Total number of deaths, 74, including diphtheria, 3; enteric fever, 6, and 4 from phthisis pulmonalis.

MASSACHUSETTS—*Brockton*.—Month of December, 1898. Estimated population, 37,278. Total number of deaths, 42, including grippe, 2, and 5 from phthisis pulmonalis.

MICHIGAN—*Grand Rapids*.—Month of December, 1898. Estimated population, 90,000. Total number of deaths, 75, including diphtheria, 2, and 6 from phthisis pulmonalis.

MINNESOTA—*Winona*.—Month of December, 1898. Estimated population, 24,000. Total number of deaths, 33; including diphtheria, 2; enteric fever, 1; whooping cough, 1, and 1 from phthisis pulmonalis.

NEW HAMPSHIRE—*Concord*.—Month of December, 1898. Estimated population, 18,000. Total number of deaths, 24, including enteric fever, 1, and 1 from phthisis pulmonalis.

*Manchester*.—Month of December, 1898. Estimated population, 60,000. Total number of deaths, 82, including diphtheria, 2; measles, 1, and 7 from phthisis pulmonalis.

NEW YORK—*Auburn*.—Month of December, 1898. Estimated population, 30,000. Total number of deaths, 39, including 2 from phthisis pulmonalis.

*Buffalo*.—Month of December, 1898. Estimated population, 370,000. Total number of deaths, 368, including diphtheria, 3; enteric fever, 9; scarlet fever, 2; whooping cough, 3, and 48 from phthisis pulmonalis.

PENNSYLVANIA—*Meadville*.—Month of December, 1898. Estimated population, 12,000. Total number of deaths, 13, including 2 from phthisis pulmonalis.

*Williamsport*.—Month of December, 1898. Estimated population, 35,000. Total number of deaths, 29, including enteric fever, 1, and 2 from phthisis pulmonalis.

OREGON—*Portland*.—Month of November, 1898. Estimated population, 92,413. Total number of deaths, 83, including diphtheria, 3; enteric fever, 4; grippe, 1, and 4 from phthisis pulmonalis.

WASHINGTON—*Tacoma*.—Month of December, 1898. Estimated population, 50,000. Total number of deaths, 31, including 1 from enteric fever.

WEST VIRGINIA—*Wheeling*.—Year, 1898. Census population, 35,013. Total number of deaths, 584, including diphtheria, 2; enteric fever, 33; measles, 2; scarlet fever, 2; whooping cough, 49, and 58 from phthisis pulmonalis.

WISCONSIN—*West Superior*.—Month of December, 1898. Estimated population, 35,000. Total number of deaths, 32, including diphtheria, 3, and 1 from scarlet fever.